



Technical Newsletter

File Number S360-25
Re: Form No. C28-6639-0
This Newsletter No. N28-2212
Date January 13, 1967
Previous Newsletter Nos. None

IBM SYSTEM/360 OPERATING SYSTEM
FORTRAN IV (G) PROGRAMMER'S GUIDE

This technical newsletter amends the publication IBM System/360 Operating System: FORTRAN IV (G) Programmer's Guide, Form C28-6639-0.

Pages to be
Inserted

Contents
95-95C

Pages to be
Removed

Contents
95

Summary of Amendment

This technical newsletter adds an index to the publication.

Note: Please file this cover letter at the back of the publication. Cover letters provide a quick reference to changes and a means of checking receipt of all amendments.



CONTENTS

INTRODUCTION	7	Linkage Editor ddnames and Device Classes.	30
Job and Job Step Relationship	7	Additional Input	31
FORTRAN Processing and Cataloged Procedures	7	Linkage Editor Priority.	32
Data Sets	8	Multiple Link Editing Within a Step.	32
Data Set Organization.	8	Other Linkage Editor Control Statements.	33
Data Set Labels.	9	Options for Linkage Editor Processing.	33
Data Set Cataloging.	9		
JOB CONTROL LANGUAGE	10	Load Module Execution.	34
Coding Job Control Statements.	10	Program Name	34
Name Field.	10	Execution ddnames.	34
Operation Field	10	Reference Numbers for Data Sets Specified in DEFINE FILE Statements.	36
Operand Field	10	Retrieving Data Sets Written with Varying FORTRAN Sequence Numbers	36
Continuing Control Statements	11	ERR=Parameter.	37
Comments.	11	REWIND and BACKSPACE Statements.	37
Notation for Defining Control Statements	11	Error Message Data Set	37
JOB Statement.	12	Execution Device Classes	37
Name Field.	12	DCB Parameter.	37
Operand Field	12	CREATING DATA SETS	38
Account Number and Accounting Information	12	Use of DD Statements for Direct-Access Data Sets	38
Programmer's Name.	12	Data Set Name.	38
Control Statement Messages	12	Specifying I/O Devices	40
Conditions for Terminating a Job	13	Specifying Volumes	40
Exec Statement	14	Specifying Space on Direct-Access Volumes	42
Name Field.	15	Label Information.	42
Operand Field	15	Disposition of a Data Set.	43
Positional Parameter	15	Writing a Unit Record Data Set on an Intermediate Device	43
Keyword Parameters	16	DCB Parameter.	43
Data Definition (DD) Statement	17	Referring to Previously Specified DCB Information.	43
Name Field.	17	Density and Conversion.	44
Operand Field	19	Record Format	44
Retrieving Previously Created Data Sets	20	Record Length, Buffer Length, Block Length, and Number of Buffers for Sequential Data Sets	44
Delimiter Statement.	23	FORTRAN Records and Logical Records for Sequential Data Sets.	45
FORTRAN JOB PROCESSING	24	BACKSPACE Operations	49
Using Cataloged Procedures	24	Record Length, Buffer Length, and Number of Buffers for Direct Access Data Sets	49
Compile	24		
Compile and Link Edit	25		
Link Edit and Execute	25		
Compile, Link Edit, and Execute	25		
Compiler Processing.	26		
Compiler Name.	26		
Compiler ddnames	26		
Compiler Device Classes.	27		
Compiler Options	27		
Multiple Compilation Within a Job Step.	28		
Linkage Editor Processing.	29		
Linkage Editor Name.	29		
Linkage Editor Input and Output.	29		

DCB Assumptions for Load Module Execution.	50	Operator Messages.	69
CATALOGED PROCEDURES	51	APPENDIX A: INVOKING THE FORTRAN COMPILER.	71
Compile.	51	APPENDIX B: EXAMPLES OF JOB PROCESSING.	72
Compile and Link Edit.	51	Example 1:	72
Link Edit and Execute.	52	Example 2:	73
Compile, Link Edit, and Execute.	53	Example 3:	74
User Cataloged Procedures.	53	APPENDIX C: ASSEMBLER LANGUAGE SUBPROGRAMS	77
Overriding Cataloged Procedures.	53	Subroutine References.	77
Overriding Parameters in the EXEC Statement.	54	Argument List.	77
Overriding and Adding DD Statements.	54	Save Area.	77
PROGRAMMING CONSIDERATIONS	56	Calling Sequence	77
Storage Locations and Bytes.	56	Coding the Assembler Language Subprogram.	79
Minimum System Requirements for the FORTRAN Compiler.	56	Coding a Lowest Level Assembler Language Subprogram	79
Program Optimization	56	Higher Level Assembly Language Subprogram.	79
DO Loop Optimization	56	In-Line Argument List.	79
Indicators and Sense Lights.	56	Sharing Data in COMMON	81
Use of DUMP and PDUMP.	57	Retrieving Arguments from the Argument List.	81
Direct Access Programming.	57	APPENDIX D: SYSTEM DIAGNOSTICS.	83
Direct Access Programming Considerations.	59	Compiler Diagnostic Messages	83
Compiler Restrictions.	60	Compiler Error/Warning Messages.	83
Library Considerations	60	Compiler Status Messages	85
DD Statement Considerations.	60	Load Module Execution Diagnostic Messages.	86
Channel Optimization	60	Execution Error Messages	86
I/O Device Optimization.	60	Program Interrupt Messages	90
Direct-Access Space Optimization	61	Operator Messages.	90
SYSTEM OUTPUT.	63	APPENDIX E: EXTENDED ASA CARRIAGE CONTROL CHARACTERS.	92
Compiler Output.	63	APPENDIX F: DEBUG FACILITY.	93
Source Listing	63	Debug Statement.	93
Storage Map.	64	Trace	93
Object Module Listing.	64	Subtrace.	93
Object Module Card Deck.	67	Init.	93
Source Module Diagnostics.	67	Subchk.	93
Linkage Editor Output.	68	Display Statement.	93
Module Map	68	Special Considerations	93
Cross-Reference List	68	INDEX.	95
Load Module Output	69		
Error Code Diagnostics.	69		
Program Interrupt Messages	69		
ABEND Dump	69		

- A, device class 20,37,43
- ABEND dump 69
- ABSTR subparameter 61
- Accessing unused space 62
- Account number 12
- Accounting information
 - in the EXEC statement 17
 - in the JOB statement 12
- ACCT parameter 17
- ACCT.procstep parameter 17
- Additional input to the linkage editor 31
- AFF subparameter 61
- Affinity for devices 61
- ALIAS linkage editor control statement 33
- ALX subparameter 42
- Argument list 77,81-82
- Assembler language subprograms
 - addresses of arguments 81-82
 - argument list 77
 - calling sequence 77
 - COMMON area, use of 81
 - linkage conventions 78,79
 - register use 78
 - save area 77
 - subroutine references 77
- Assigning names to temporary data sets 22,38
- Asterisk parameter (*) 19-20
- Automatic call library 30,31
- Average record length subparameter 42,62
- BACKSPACE statement 37,49
- Batched compilation 24,28-29
- BCD compiler option 28
- BLKSIZE subparameter 44
- Blocked records 44,46-47,48-49
- BUFNO subparameter 45
- Bypassing a job step 17
- Byte 56
- Card input and output 20
- Carriage control characters 20,44,92
- Catalog 9
- Cataloged data sets 9
- Cataloged procedure
 - IBM supplied 9,51-53
 - invocation of 24-25
 - overriding 8,17,53-55
 - steps 51-53
 - user-written 53
- Cataloged procedure name parameter 15
- CATLG subparameter 23
- CHANGE linkage editor control statement 33
- Channel separation 60
- Column binary mode 20
- Comments in job control statements 11
- COMMON area 57,81
- Compile and link edit cataloged procedure (FORTGCL) 25,51,52
- Compile cataloged procedure (FORTGC) 24,51
- Compile, link edit, and execute cataloged procedure (FORTGCLG) 25,26,53
- Compiler
 - ddnames 26-27
 - debug facility output 93-94
 - device classes 27
 - error/warning messages 67-68,83-86
 - invocation of 24,71
 - multiple or batched compilation 24,28-29
 - name 26
 - object module deck structure 67
 - object module listing 64-66
 - options 27-28
 - restrictions 60
 - source listing 63,64
 - storage map 64
- Concatenating data sets
 - with other data sets 19
 - with the system library 17-19
- COND parameter
 - in the EXEC statement 17
 - in the JOB statement 13-14
- COND.procstep parameter 17
- Condition code
 - in the EXEC statement 17
 - in the JOB statement 13-14
 - meaning of 14
- Constants 54
- CONTIG subparameter 42
- Continuing control statements 11
- Control fields in variable-length records 46,47,48
- Control statement messages 12
- Conversion for tape data sets 44
- Creating data sets 38-50
- Cross-reference list, linkage editor 68-69
- CYL subparameter 42,62
- Cylinders, direct-access device 42,62
- DATA parameter 20
- Data in input stream 19-20
- Data set reference number 34-35
- Data sets 8-9
 - cataloged 9
 - labels 9
 - organization 8
 - residence 8
- DCB parameter 20,43-44
- DCB ranges and assumptions 50
- DD statement
 - asterisk parameter
 - DATA parameter 20
 - DCB parameter 20,43-44
 - ddname 17,40
 - DDNAME parameter 40
 - definition of 17,38,60
 - DISP parameter 22-23,43
 - DSNAME parameter 21-22,33
 - DUMMY parameter 38
 - LABEL parameter 36,42-43
 - SEP parameter 61
 - SPACE parameter 42,61-62
 - SPLIT parameter 62

SUBALLOC parameter 62
 SYSOUT parameter 20,37,43
 UNIT parameter 20,40,60-61
 VOLUME parameter 41
 ddname 17,40
 DDNAME parameter 40
 Debug facility output 93-94
 DECK compiler option 28,67
 Deck structure, object module 67
 DEFER subparameter 61
 DEFINE FILE statement 49,59
 Definition of
 DD statement 17,38,60
 EXEC statement 14
 JOB statement 12
 DELETE subparameter 22
 Delimiter statement 23
 DEN subparameter 44
 Density, tape 44
 Device class 27
 Diagnostic messages 67-68,83-86
 Direct access data sets
 buffer length 49
 number of buffers 49
 record length 49
 Direct access programming 57-60
 associated variable 60
 DEFINE FILE statement 59
 randomizing techniques 58
 record chaining 58-59
 skeleton records 58
 synonyms 58
 Directory quantity 42,62
 DISP parameter 22-23,43
 Disposition of a data set 22-23,43
 DO loops 56
 Double-word 56
 DSNAMES parameter 21-22,33
 DUMMY parameter 38
 DUMP subroutine 57

 EBCDIC compiler option 28
 EBCDIC mode 44
 END card for object modules 67
 END FILE statement 35,36
 ENTRY linkage editor control statement 33
 Error message data set 37
 Error/warning messages
 generated by the compiler 67-68,83-86
 generated by the linkage editor 69
 generated for load modules 69,86-91
 ESD card 67
 Exceptions
 exponent-overflow 69,90
 exponent-underflow 69,90
 fixed-point-divide 69,90
 floating-point-divide 69,90
 EXEC statement
 ACCT parameter 17
 ACCT.procstep parameter 17
 COND parameter 17
 COND.procstep parameter 17
 definition of 14
 name 15
 PARM parameter 16,27,54
 PARM.procstep parameter 16,54
 PGM parameter 15-16
 PROC parameter 15

Execution, load module
 DCB assumptions 50
 ddnames 34-37
 device classes 37
 error message data set 37
 errors (see error/warning messages)
 program name 34
 EXPDT subparameter 43
 Expiration date for data sets 43
 Exponent-overflow 69,90
 Exponent-underflow 69,90
 External references 29-31,67

 Fields in job control statements
 name field 10
 operand field 10-11
 operation field 10
 Fixed-length records 44,45,46,47,48,49
 Fixed-point-divide 69,90
 Floating-point-divide 69,90
 FORTGC
 description of 51
 use of 8,24-25,51
 FORTGCL
 description of 51-52
 use of 8,25,51
 FORTGCLG
 description of 53
 use of 8,25-26,53
 FORTGLG
 description of 52-53
 use of 8,25,52-53
 FORTRAN library 8,30,33,60
 FORTRAN records
 direct-access data sets 49-50
 sequential data sets 45-49
 FORTRAN sequence number 35-36
 FTxxFyyy 34

 Generation data group 21

 IEWL 29
 IEWLE150 29
 IEWLE180 29
 IEWLF440 29
 IEWLF880 29
 IEYFORT 26
 INCLUDE linkage editor control statement 31
 Input
 to the compiler 24,27
 to the linkage editor 29-30,31
 Input stream 19-20
 INSERT linkage editor control statement 33
 Integer constants and variables 56
 Intermediate storage device 27,43
 Interrupt messages 69,90
 Invocation of the FORTRAN compiler 24,71
 I/O devices
 address 20,40,60-61
 name 20,40,60-61
 number of 20,40,60-61

 Job 7
 Job control statements 10-11
 comments 11
 continuing 11
 notation for defining 11-12

JOB statement

- account number parameter 12
- accounting information parameter 12
- COND parameter 13-14
- definition of 12
- MSGLEVEL parameter 12
- name 12
- programmer's name parameter 12
- Job step 7
- JOBLIB DD statement 17-18,23,34
- Jobname 12

- KEEP subparameter 22
- Keyword parameters and subparameters 10,11
- Keyword.procstep 16,54

- LABEL parameter 36,42-43
- Labels, data set 9,21,36,42-43
- Length

- buffer 45,49
 - of FORTRAN records 44,49
 - of logical records 44,49

- LET linkage editor option 34

Library

- automatic call 30,31
 - FORTRAN 8,30,33
 - private 15
 - system 15

- LIBRARY linkage editor control statement 31

- LINECNT compile option 28

- Link edit and execute cataloged procedure (FORTGLG) 8,25,52-53

- Linkage conventions 78,79

Linkage editor

- additional input 31
 - automatic call library 30,31
 - control statements 31,32-33
 - cross-reference list 34,68-69
 - ddnames used with 30-31
 - device classes 30-31
 - module map 34,68
 - name 29
 - options 33-34
 - primary input 29
 - priority 32
 - secondary input 30

- LIST linkage editor option 34,64-66

- LOAD compiler option 28

Load module

- cross-reference list 68-69
 - execution of (see execution, load module)
 - map 68

- Locations, storage 56

Logical records

- fixed-length 45,46,47,49
 - undefined 46,48
 - variable-length 46,47-48

- LRECL subparameter 53

MAP

- compiler option 28
 - linkage editor option 34

Messages

- compiler error/warning 67-68,83-86
 - control statement 12
 - load module 69,86-90

- operator 69,90-91
 - program interrupt 69,90
 - source module diagnostic 68
- Minimum system requirements 56
- MOD subparameter 22
- MODE subparameter 20
- Module map 68
- MSGLEVEL parameter 12
- Multiple compilation 24,28-29
- Multiple link editing 32-33
- MXIG subparameter 42

NAME

- compiler option 28
 - linkage editor control statement 32-33
- Name subparameter 20,40,60-61
- NCAL linkage editor option 34
- NEW subparameter 22
- NL subparameter 36,43
- NODECK compiler option 28
- NOLOAD compiler option 28
- NOMAP compiler option 28
- NOSOURCE compiler option 28
- Notation for defining control statements 11-12
- Number of I/O devices subparameter 20,40,60-61

Object module

- card deck 67
 - listing 64-66
 - map 68

- OLD subparameter 27

- Operator messages 69,90-91

Options

- compiler 28
 - linkage editor 34

- Organization of data sets 8

Output

- of a load module 69
 - of the compiler 63-68
 - of the linkage editor 68-69

- OVERLAY linkage editor control statement 33

- Overlaying load modules 33

- Overriding cataloged procedures 8,17,53-55

- OVLY linkage editor option 34

Parameters

- keyword 10
 - positional 10
- PARM parameter 16,27,54
- PARM.procstep parameter 16,54
- Partitioned data set 8
- PASS subparameter 22
- Passed data sets 22
- PAUSE statement 69,90-91
- PDS

- (see partitioned data set)

- PDUMP subroutine 38

- PGM parameter 15-16

- Positional parameters and subparameters 11

- Primary input 29

- Primary quantity subparameter 42,62

- Printer spacing 22,44,92

- PRIVATE subparameter 41

- Private volume 41

- PROC parameter 15

Procedure, cataloged 7-8
 Procstep 16,17
 Procstep.ddname 17
 Procstep.SYSIN 24
 Programmer's name parameter 12
 PRTSP subparameter 20

 Randomizing techniques 58
 Real constants and variables 56
 RECFM subparameter 44
 Record chaining 58
 REF subparameter 41
 Register use 78
 REPLACE linkage editor control statement 33
 RETAIN subparameter 41
 Retention period for data sets 41
 RETPD subparameter 43
 Retrieving data sets 20-21,36-37
 REWIND statement 37-49
 RLD cards 67
 RLSE subparameter 42
 ROUND subparameter 42

 Save area 77,78
 Secondary input 30
 Secondary quantity subparameter 42,62
 SEP parameter 60
 SEP subparameter 60
 Sequential data set 8
 SER subparameter 41
 Serial number, volume 41
 Skeleton records 58
 SL subparameter 36,43
 SOURCE compiler option 28,67
 Source listing 28,63,64
 Space on direct-access volumes 42,61-62
 SPACE parameter 42,61
 Specifying execution of a program
 described in a cataloged procedure 15
 described in a previous job step 15-16
 in a library 15
 SPLIT parameter 42,62
 STACK subparameter 20
 Stacker selection 20
 Standard labels 9,21,36,42-43
 Step
 job 7
 procedure 7
 Stepname 15

STOP statement 69,90-91
 Storage map 64
 SUBALLOC subparameter 62
 Subparameters 12
 Subprograms, assembler language 77
 SYSCP device class 27
 SYSDA device class 27
 SYSIN ddname 24,26,27
 SYSLIB ddname 30,31
 SYSLIN ddname 26,27,30,31
 SYSLMOD ddname 30,31
 SYSOUT parameter 20,37,43
 SYSPRINT ddname 26,27
 SYSPUNCH ddname 26,27
 SYSSQ device class 27
 SYSUT1 ddname 26,27
 SYSUT2 ddname 26,27
 SYS1.FORTLIB 8,30,33

Tape density 44
 Temporary names for data sets 22,38
 Terminating a job 13-14
 TRK subparameter 42,62
 TRTCH subparameter 44
 TXT card 67

Unblocked records
 direct-access data set 49
 sequential data set
 fixed-length 45,47
 undefined 46,48
 variable-length 46,47
 UNCATLG subparameter 23
 Undefined logical record 46,48
 UNIT parameter 20,40,60-61
 Unit record data sets 20,43

Variable-length logical record 46,47,48
 Variables 56
 Volume count subparameter 41
 VOLUME parameter 49-50
 Volume sequence number subparameter 41
 Volume serial number 41

Warning messages
 (see error/warning messages)
 Word 56

XCAL linkage editor option 34
 XREF linkage editor option 34,51